



ICE-Trade sro
International Conveyor Equipment & Trading

Pila - Razcestie 9A
SK - 900 89 Casta, Slovakia

Tel. + 421 948 222 891
info@ice-trade.com
www.ice-trade.com

ICE-Trade ® Workshop Benches



ICE-Trade Workshop Bench for 1600 mm belt width and in total 15 m long, out of 3 parts

Specially for the service companies for conveyor belting ICE-Trade produces work benches.
Made to size : length, width and height as required.



Also for other types of industries the work benches can be produced according the specific needs, for example all in stainless steel.



ICE-Trade sro
International Conveyor Equipment & Trading

Tel. + 421 891 222 891
info@ice-trade.com
www.ice-trade.com

The following options are available :

- table blade from : water resistant multiplex wood, steel, PE or multiplex with stainless steel sheet covered
- with electricity plugs for power tools
- with winch (electric) & clamping system (pneumatic or mechanic) for pulling of the covers of the belt
- in case a winch is installed this one will be guided by the Hiwin Linear System, so that pulling force is always in a straight line with the belt : winch will be moving from left to right and vice versa
- with or without second level, for storage
- with drawer blocks or cupboards
- complete in stainless steel



Work Bench detail with 22 mm thick work blade (multiplex plywood) and plugs for the power tools




ICE-Trade sro
International Conveyor Equipment & Trading

Tel. + 421 891 222 891
info@ice-trade.com
www.ice-trade.com

For the PVC belting the Work Bench below has a Hiwin Linear Guide for the installation of V-guides on the belt.



ICE-Trade Work Bench for belt width 800 mm, length 8 m (2 Parts) with side border






ICE-Trade sro

International Conveyor Equipment & Trading

Tel. + 421 891 222 891

info@ice-trade.com

www.ice-trade.com



The special holder is for the hot air blower.

With this system, by exchanging the guide wheels all different sizes of V-guides can be installed manually.

The border on the table blade and the Hiwin system assures that the V-guides are installed in a 100% straight line.



To reduce freight charges the Work Benches are stacked.

Please contact us if you need additional information